

FINAL REPORT OF LABORATORY EXAMINATION

4011 Discovery Drive, Columbia, MO 65201

1-800-669-0825 1-573-499-5700

idxxbioanalytics@idexx.com

www.idexxbioanalytics.com

IDEXX BioAnalytics Case # 119830-2022

Received Date: 7/15/2022

Completed: 7/21/2022

Submitted By

Resource Center Animals-RRRC Resource Center
Animals-RRRC
University of Missouri-RRRC
Columbia, MO 65201

Phone: 573-884-7970

Email:

brydae@missouri.edu;oneilla@missouri.edu;oconnore@missouri.edu;RRRC@missouri.edu;listerb@missouri.edu;kavb3v@missouri.edu;Jmpnp5@mail.missouri.edu

Referred By

Craig Franklin
University of Missouri-Franklin
Veterinary Pathobiology
4011 Discovery Drive
Columbia, MO 65201

Fax: 573-884-7521

Email: FranklinC@missouri.edu

Specimen Description

Species: rat
Description: Feces; Pelt Swab
Number of Specimens/Animals: 4
Building/Facility: Discovery Ridge

Purchase Order #: KB072721vo2

Client ID	Investigator	Room #	Species
W112 rat fur mite swab and pin worm fecal 1-4A	Bryda	W112	rat
W112 rat fur mite swab and pin worm fecal 4B-7	Bryda	W112	rat
W113 rat fur mite swab and pin worm fecal 4B-7	Bryda	W113	rat
W114 rat fur mite swab and pin worm fecal 4B-7	Bryda	W114	rat

Services/Tests Performed: Pinworm and Fur Mite Panel (1-4)

PCR evaluation for: *Aspiculuris tetraptera*, *Myocoptes*, *Radfordia/Myobia*, *Syphacia muris*, *Syphacia obvelata*

General Comments: Quarterly rat pin worm and fur mite testing; W112, W113, W114; n=4 pooled fecal samples; n=4 pooled fur mite swab samples. AOB

Summary: All test results were negative.

PCR EVALUATION

feces	W112 rat fur mite swab and pin worm fecal 1-4A
<i>Aspiculuris tetraptera</i>	-
<i>Syphacia muris</i>	-
<i>Syphacia obvelata</i>	-

feces	W112 rat fur mite swab and pin worm fecal 4B-7
<i>Aspiculuris tetraptera</i>	-
<i>Syphacia muris</i>	-
<i>Syphacia obvelata</i>	-

feces	W113 rat fur mite swab and pin worm fecal 4B-7
<i>Aspiculuris tetraptera</i>	-
<i>Syphacia muris</i>	-
<i>Syphacia obvelata</i>	-

feces	W114 rat fur mite swab and pin worm fecal 4B-7
<i>Aspiculuris tetraptera</i>	-
<i>Syphacia muris</i>	-
<i>Syphacia obvelata</i>	-

pelt swab	W112 rat fur mite swab and pin worm fecal 1-4A
<i>Myocoptes</i>	-
<i>Radfordia/Myobia</i>	-

pelt swab	W112 rat fur mite swab and pin worm fecal 4B-7
<i>Myocoptes</i>	-
<i>Radfordia/Myobia</i>	-

pelt swab	W113 rat fur mite swab and pin worm fecal 4B-7
<i>Myocoptes</i>	-

pelt swab	W113 rat fur mite swab and pin worm fecal 4B-7
<i>Radfordia/Myobia</i>	-

pelt swab	W114 rat fur mite swab and pin worm fecal 4B-7
<i>Myocoptes</i>	-
<i>Radfordia/Myobia</i>	-

Legend: + = positive - = negative id:id = pooled sample range id+id+id = non-range pooled sample NT or blank = no test performed sus = suspect wps = weak positive XX = Testing in progress

FINAL REPORT OF LABORATORY EXAMINATION

4011 Discovery Drive, Columbia, MO 65201

1-800-669-0825 1-573-499-5700

idxxbioanalytics@idexx.com

www.idexxbioanalytics.com

IDEXX BioAnalytics Case # 116749-2022

Received Date: 7/13/2022

Completed: 7/18/2022

Submitted By

Justin Wilson (RRRC)

University of Missouri-RRRC

University of Missouri-RRRC

Columbia, MO 65201

Phone: 573-884-2524

Email:

wilsonjus@missouri.edu;KorteS@missouri.edu;oconnore@missouri.edu;FranklinC@missouri.edu;oneill-blaira@missouri.edu

Specimen Description

Species: rat

Breed/Strain: HET RNU

Description: Whole Animal

Number of Specimens/Animals: 11

Building/Facility: Discovery Ridge

Client ID	Investigator	Room #	Species	Strain /Breed	Sex	Rack	Date Placed
113-F	Bryda	W113	rat	HET RNU	F	1	3/14/2022
114-C	Bryda	W114	rat	HET RNU	F	1	3/14/2022
114-D	Bryda	W114	rat	HET RNU	F	2	3/14/2022
114-E	Bryda	W114	rat	HET RNU	F	3	3/14/2022
112-A	Bryda	W112	rat	HET RNU	F	1	3/14/2022
112-B	Bryda	W112	rat	HET RNU	F	2	3/14/2022
112-C	Bryda	W112	rat	HET RNU	F	3	3/14/2022
112-D	Bryda	W112	rat	HET RNU	F	4	3/14/2022
112-E	Bryda	W112	rat	HET RNU	F	5	3/14/2022
112-F	Bryda	W112	rat	HET RNU	F	6	3/14/2022
112-G	Bryda	W112	rat	HET RNU	F	7	3/14/2022

Services/Tests Performed: MU RRRC Rat Quarterly Sentinel and Rederivation Surrogate Profile (1-11)

Serologic evaluation for antibodies to: *Mycoplasma pulmonis*, *Pneumocystis carinii*, H1, KRV, LCMV, PVM, RCV/SDAV, REO3, RMV, RPV, RTV, Sendai

PCR evaluation for: *Helicobacter bilis*, *Helicobacter ganmani*, *Helicobacter hepaticus*, *Helicobacter mastomyrinus*, *Helicobacter rodentium*, *Helicobacter* spp., *Helicobacter typhlonius*, *Mycoplasma pulmonis*, *Streptococcus* sp. beta hemolytic Group A, *Streptococcus* sp. beta hemolytic Group B, *Streptococcus* sp. beta hemolytic Group C, *Streptococcus* sp. beta hemolytic Group G

Parasitologic evaluation for: fur mites, mesostigmatid mites, lice, *Spironucleus muris*, *Giardia muris*, large intestinal flagellates and amoeba, pinworms and tapeworms

Microbiologic evaluation for: *Pasteurella pneumotropica* biotype Heyl, *Pasteurella pneumotropica* biotype Jawetz, *Salmonella enterica*, *Streptococcus pneumoniae*

General Comments: Discovery Ridge - 2022 Q2 'A' room rat sentinel necropsies

Summary: Please see the report for details.

NECROPSY

No gross lesions were detected in any of the body systems and organs examined.

SEROLOGY SUMMARY

	113-F	114-C	114-D	114-E	112-A	112-B	112-C	112-D	112-E
LCMV	-	-	-	-	-	-	-	-	-
<i>Mycoplasma pulmonis</i>	-	-	-	-	-	-	-	-	-
<i>Pneumocystis carinii</i>	-	-	-	-	-	-	-	-	-
RPV	-	-	-	-	-	-	-	-	-
RMV	-	-	-	-	-	-	-	-	-
KRV	-	-	-	-	-	-	-	-	-
H1	-	-	-	-	-	-	-	-	-
PVM	-	-	-	-	-	-	-	-	-
RCV/SDAV	-	-	-	-	-	-	-	-	-
REO3	-	-	-	-	-	-	-	-	-
RTV	-	-	-	-	-	-	-	-	-
Sendai	-	-	-	-	-	-	-	-	-
Rat IgG	N	N	N	N	N	N	N	N	N

	112-F	112-G
LCMV	-	-
<i>Mycoplasma pulmonis</i>	-	-
<i>Pneumocystis carinii</i>	-	-
RPV	-	-
RMV	-	-
KRV	-	-
H1	-	-
PVM	-	-
RCV/SDAV	-	-
REO3	-	-
RTV	-	-
Sendai	-	-
Rat IgG	N	N

Legend: + = positive - = negative blank = test not performed EQ = equivocal HE = hemolysis precluded testing I = insufficient W = weak positive WB = Western Blot confirmatory analysis pending NS = non-specific reactivity N = normal IgG L = less than normal IgG

PCR EVALUATION

feces	113-F	114-C	114-D	114-E	112-A	112-B	112-C	112-D	112-E
<i>Helicobacter</i> spp.	-	-	-	-	-	-	-	-	-
<i>Helicobacter bilis</i>	-	-	-	-	-	-	-	-	-
<i>Helicobacter ganmani</i>	-	-	-	-	-	-	-	-	-
<i>Helicobacter hepaticus</i>	-	-	-	-	-	-	-	-	-
<i>Helicobacter mastomyrinus</i>	-	-	-	-	-	-	-	-	-
<i>Helicobacter rodentium</i>	-	-	-	-	-	-	-	-	-
<i>Helicobacter typhlonius</i>	-	-	-	-	-	-	-	-	-

feces	112-F	112-G
<i>Helicobacter</i> spp.	-	-
<i>Helicobacter bilis</i>	-	-
<i>Helicobacter ganmani</i>	-	-
<i>Helicobacter hepaticus</i>	-	-
<i>Helicobacter mastomyrinus</i>	-	-
<i>Helicobacter rodentium</i>	-	-
<i>Helicobacter typhlonius</i>	-	-

oral swab	113-F	114-C	114-D	114-E	112-A	112-B	112-C	112-D	112-E
<i>Mycoplasma pulmonis</i>	-	-	-	-	-	-	-	-	-
<i>Streptococcus</i> sp. beta hemolytic Group A	-	-	-	-	-	-	-	-	-
<i>Streptococcus</i> sp. beta hemolytic Group B	-	-	-	-	-	-	-	-	-
<i>Streptococcus</i> sp. beta hemolytic Group C	-	-	-	-	-	-	-	-	-
<i>Streptococcus</i> sp. beta hemolytic Group G	-	-	-	-	-	-	-	-	-

oral swab	112-F	112-G
<i>Mycoplasma pulmonis</i>	-	-
<i>Streptococcus</i> sp. beta hemolytic Group A	-	-
<i>Streptococcus</i> sp. beta hemolytic Group B	-	-
<i>Streptococcus</i> sp. beta hemolytic Group C	-	-
<i>Streptococcus</i> sp. beta hemolytic Group G	-	-

Legend: + = positive - = negative id:id = pooled sample range id+id+id = non-range pooled sample NT or blank = no test performed sus = suspect wps = weak positive XX = Testing in progress

PARASITOLOGY

	113-F	114-C	114-D	114-E	112-A	112-B	112-C	112-D	112-E
parasites	-	-	-	-	-	-	-	-	-

	112-F	112-G
parasites	-	-

MICROBIOLOGY

Specimen/Source: cecum

Isolate	113-F	114-C	114-D	114-E	112-A	112-B	112-C	112-D	112-E
<i>Salmonella enterica</i>	-	-	-	-	-	-	-	-	-

Specimen/Source: cecum

Isolate	112-F	112-G
<i>Salmonella enterica</i>	-	-

Specimen/Source: oral swab

Isolate	113-F	114-C	114-D	114-E	112-A	112-B	112-C	112-D	112-E
<i>Pasteurella pneumotropica</i> biotype Heyl	-	-	-	-	-	-	-	-	-
<i>Pasteurella pneumotropica</i> biotype Jawetz	-	-	-	-	-	-	-	-	-
<i>Streptococcus pneumoniae</i>	-	-	-	-	-	-	-	-	-

Specimen/Source: oral swab

Isolate	112-F	112-G
<i>Pasteurella pneumotropica</i> biotype Heyl	-	-
<i>Pasteurella pneumotropica</i> biotype Jawetz	-	-
<i>Streptococcus pneumoniae</i>	-	-

Legend: + = agent recovered - = agent not recovered blank = test not performed n = no growth X = Preliminary

FINAL REPORT OF LABORATORY EXAMINATION

4011 Discovery Drive, Columbia, MO 65201

1-800-669-0825 1-573-499-5700

idxxbioanalytics@idexx.com

www.idexxbioanalytics.com

IDEXX BioAnalytics Case # 116749-2022

Received Date: 7/13/2022

Completed: 7/18/2022

SEROLOGY DETAILS

	Baseline	113-F	114-C	114-D	114-E	112-A	112-B	112-C	112-D	112-E
LCMV										
LCMV recombinant	MFI > 3.000	-	-	-	-	-	-	-	-	-
Mycoplasma pulmonis										
<i>M. pulmonis</i> purified bacteria	MFI > 4.250	-	-	-	-	-	-	-	-	-
Pneumocystis carinii										
<i>P. carinii</i>	MFI > 1.500	-	-	-	-	-	-	-	-	-
RPV										
RPV purified virus	MFI > 2.500	-	-	-	-	-	-	-	-	-
NS1 ¹	MFI > 3.750	-	-	-	-	-	-	-	-	-
RMV										
RMV VP2 recombinant	MFI > 2.000	-	-	-	-	-	-	-	-	-
NS1 ¹	MFI > 3.750	-	-	-	-	-	-	-	-	-
KRV										
KRV purified virus	MFI > 4.250	-	-	-	-	-	-	-	-	-
NS1 ¹	MFI > 3.750	-	-	-	-	-	-	-	-	-
H1										
H1 purified virus	MFI > 1.750	-	-	-	-	-	-	-	-	-
NS1 ¹	MFI > 3.750	-	-	-	-	-	-	-	-	-
PVM										
PVM purified virus	MFI > 2.500	-	-	-	-	-	-	-	-	-
RCV/SDAV										
RCV/SDAV purified virus	MFI > 3.750	-	-	-	-	-	-	-	-	-
RCV/SDAV Spike	MFI > 3.750	-	-	-	-	-	-	-	-	-
REO3										
REO3 purified virus	MFI > 4.900	-	-	-	-	-	-	-	-	-
RTV										
RTV purified virus	MFI > 2.000	-	-	-	-	-	-	-	-	-

	Baseline	113-F	114-C	114-D	114-E	112-A	112-B	112-C	112-D	112-E
TMEV purified virus	MFI > 2.000	-	-	-	-	-	-	-	-	-
Sendai										
Sendai purified virus	MFI > 3.750	-	-	-	-	-	-	-	-	-

	Baseline	112-F	112-G
LCMV			
LCMV recombinant	MFI > 3.000	-	-
Mycoplasma pulmonis			
<i>M. pulmonis</i> purified bacteria	MFI > 4.250	-	-
Pneumocystis carinii			
<i>P. carinii</i>	MFI > 1.500	-	-
RPV			
RPV purified virus	MFI > 2.500	-	-
NS1 ¹	MFI > 3.750	-	-
RMV			
RMV VP2 recombinant	MFI > 2.000	-	-
NS1 ¹	MFI > 3.750	-	-
KRV			
KRV purified virus	MFI > 4.250	-	-
NS1 ¹	MFI > 3.750	-	-
H1			
H1 purified virus	MFI > 1.750	-	-
NS1 ¹	MFI > 3.750	-	-
PVM			
PVM purified virus	MFI > 2.500	-	-
RCV/SDAV			
RCV/SDAV purified virus	MFI > 3.750	-	-
RCV/SDAV Spike	MFI > 3.750	-	-
REO3			
REO3 purified virus	MFI > 4.900	-	-
RTV			
RTV purified virus	MFI > 2.000	-	-
TMEV purified virus	MFI > 2.000	-	-
Sendai			
Sendai purified virus	MFI > 3.750	-	-

NS1¹: NS1 protein is highly conserved among rodent parvoviruses and thus serves as a generic assay for parvovirus seroconversion.

Legend: + = positive - = negative blank = test not performed EQ = equivocal HE = hemolysis precluded testing I = insufficient W = weak positive WB = Western Blot confirmatory analysis pending NS = non-specific reactivity N = normal IgG L = less than normal IgG

Positive MFI results are reported as "+" followed by a number from 1 to 33 in thousands rounded off to the nearest thousand.